

SERIAL NO.: 09/801,187

PATENTOld Docket No.: 310048-740
New Docket No. 11286-01155
Avery Ref.: 3385-US**Amendments to the Claims:**

This Listing of Claims replaces all prior versions, and listings, of claims in the application.

Listing of Claims:

1-77 (Cancelled).

78. (Previously Presented) A sheet structure comprising:

- a first layer;
- a second layer attached to a planar surface of the first layer, the first layer and the second layer at least substantially forming a multi-layered sheet;
- a plurality of continuous cut lines cut completely through the first layer but not entirely through a thickness of the multi-layered sheet, the plurality of cut lines defining a plurality of sheet portions on the sheet; and
- at least one of the first and second layers being selected and constructed, and the cut lines being configured, such that the sheet can be bent upwardly only once, or downwardly only once, or upwardly or downwardly several times, along at least some of the plurality of cut lines, to thereby be split along at least some of the plurality of cut lines and separate the sheet portions from the sheet into a plurality of individual sheet portions.

79. (Previously Presented) The sheet structure of claim 78, wherein at least one of images or characters are printable on at least one of the first layer or the second layer by passing the sheet through a printer.

80. (Previously Presented) The sheet structure of claim 78, wherein the cut lines are configured by their depth, groove width and shape to provide the split.

81. (Previously Presented) The sheet structure of claim 78, further comprising an adhesive layer between the first layer and the second layer.

SERIAL NO.: 09/801,187

PATENTOld Docket No.: 310048-740
New Docket No. 11286-01155
Avery Ref.: 3385-US

82. (Previously Presented) The sheet structure of claim 78, wherein the multi-layer sheet includes a paper layer.
83. (Previously Presented) The sheet structure of claim 78, wherein the sheet structure is constructed so that it can be split along the at least some of the plurality of cut lines without any tearing action being performed on it.
84. (Cancelled).
85. (Previously Presented) The sheet structure of claim 78, wherein the plurality of sheet portions are each defined by the plurality of cut lines and have a size determined by a user selecting the plurality of cut lines to be split, so that when separated from the sheet, the plurality of sheet portions form individual sheet portions of desired sizes.
86. (Previously Presented) The sheet structure of claim 78, wherein the plurality of cut lines form an entire perimeter of at least one of the sheet portions.
87. (Previously Presented) The sheet structure of claim 78, wherein a perimeter edge of the sheet forms a portion of a perimeter of at least one of the sheet portions.
88. (Previously Presented) The sheet structure of claim 78, wherein the sheet is photo-receptive.
89. (Previously Presented) The sheet structure of claim 78, wherein the second layer is a printing paper or film, and the first layer includes dissolved resin directly applied to the printing paper or film to form the multi-layered sheet.
90. (Previously Presented) The sheet structure of claim 78, wherein a surface of the multi-layered sheet is adapted to receive a printed image or character.

SERIAL NO.: 09/801,187

PATENT

Old Docket No.: 310048-740
New Docket No. 11286-01155
Avery Ref.: 3385-US

91. (Previously Presented) The sheet structure of claim 78, wherein the cut lines are die cut lines.
92. (Previously Presented) The sheet structure of claim 78, wherein the cut lines include horizontal and vertical cut lines forming a matrix.
93. (Previously Presented) The sheet structure of claim 78, wherein the first layer is a resin film.
94. (Previously Presented) A sheet structure comprising:
a first layer;
a second layer attached to a planar surface of the first layer, the first layer and the second layer at least substantially forming a multi-layered sheet;
a plurality of continuous cut lines cut completely through the first layer but not entirely through the thickness of the multi-layered sheet, the plurality of cut lines defining a plurality of sheet portions on the sheet; and
at least one of the first and second layers being selected and constructed, and the cut lines being configured, such that the sheet can be bent upwardly only once, or downwardly only once, along at least some of the plurality of cut lines, to thereby be split along the at least some of the plurality of cut lines to separate the sheet portions from the sheet into a plurality of individual sheet portions.
95. (Previously Presented) The sheet structure of claim 94, wherein at least one of images or characters are printable on at least one of the first layer or the second layer by passing the sheet through a printer.
96. (Previously Presented) The sheet structure of claim 94, wherein the cut lines are configured by their depth, groove width and shape to provide the split.
97. (Previously Presented) The sheet structure of claim 94, further comprising an adhesive layer between the first layer and the second layer.

SERIAL NO.: 09/801,187

PATENTOld Docket No.: 310048-740
New Docket No. 11286-01155
Avery Ref.: 3385-US

98. (Previously Presented) The sheet structure of claim 94, wherein the multi-layer sheet includes a paper layer.
99. (Previously Presented) The sheet structure of claim 94, wherein the sheet structure is constructed so that it can be split along the at least some of the plurality of cut lines without any tearing action being performed on it.
100. (Cancelled).
101. (Previously Presented) The sheet structure of claim 94, wherein the plurality of sheet portions are each defined by the plurality of cut lines and have a size determined by a user selecting the plurality of cut lines to be split, so that when separated from the sheet, the plurality of sheet portions form individual sheet portions of desired sizes.
102. (Previously Presented) The sheet structure of claim 94, wherein the plurality of cut lines form an entire perimeter of at least one of the sheet portions.
103. (Previously Presented) The sheet structure of claim 94, wherein a perimeter edge of the sheet forms a portion of a perimeter of at least one of the sheet portions.
104. (Previously Presented) The sheet structure of claim 94, wherein the sheet is photo-receptive.
105. (Previously Presented) The sheet structure of claim 94, wherein the second layer is a printing paper or film, and the first layer includes dissolved resin directly applied to the printing paper or film to form the multi-layered sheet.
106. (Previously Presented) The sheet structure of claim 94, wherein a surface of the multi-layered sheet is adapted to receive a printed image or character.

SERIAL NO.: 09/801,187

PATENTOld Docket No.: 310048-740
New Docket No. 11286-01155
Avery Ref.: 3385-US

107. (Previously Presented) The sheet structure of claim 94, wherein the cut lines are die cut lines.
108. (Previously Presented) The sheet structure of claim 94, wherein the cut lines include horizontal and vertical cut lines forming a matrix.
109. (Previously Presented) The sheet structure of claim 94, wherein the first layer is a resin film.
110. (Previously Presented) A sheet structure comprising:
a first layer;
a second layer attached to a planar surface of the first layer, the first layer and the second layer at least substantially forming a multi-layered sheet;
a plurality of continuous cut lines cut completely through the first layer but not entirely through a thickness of the multi-layered sheet, the plurality of cut lines defining a plurality of sheet portions on the sheet; and
at least one of the first and second layers being selected and constructed, and the cut lines being configured, such that the sheet can be bent upwardly and downwardly several times along at least some of the plurality of cut lines, to thereby be split along the at least some of the plurality of cut lines and separate the sheet portions from the sheet into a plurality of individual sheet portions.
111. (Previously Presented) The sheet structure of claim 110, wherein at least one of images or characters are printable on at least one of the first layer or the second layer by passing the sheet through a printer.
112. (Previously Presented) The sheet structure of claim 110, wherein the cut lines are configured by their depth, groove width and shape to provide the split.
113. (Previously Presented) The sheet structure of claim 110, further comprising an adhesive layer between the first layer and the second layer.

SERIAL NO.: 09/801,187

PATENTOld Docket No.: 310048-740
New Docket No. 11286-01155
Avery Ref.: 3385-US

114. (Previously Presented) The sheet structure of claim 110, wherein the multi-layer sheet includes a paper layer.
115. (Previously Presented) The sheet structure of claim 110, wherein the sheet structure is constructed so that it can be split along the at least some of the plurality of cut lines without any tearing action being performed on it.
116. (Cancelled).
117. (Previously Presented) The sheet structure of claim 110, wherein the plurality of sheet portions are each defined by the plurality of cut lines and have a size determined by a user selecting the plurality of cut lines to be split, so that when separated from the sheet, the plurality of sheet portions form individual sheet portions of desired sizes.
118. (Previously Presented) The sheet structure of claim 110, wherein the plurality of cut lines form an entire perimeter of at least one of the sheet portions.
119. (Previously Presented) The sheet structure of claim 110, wherein a perimeter edge of the sheet forms a portion of a perimeter of at least one of the sheet portions.
120. (Previously Presented) The sheet structure of claim 110, wherein the sheet is photo-receptive.
121. (Previously Presented) The sheet structure of claim 110, wherein the second layer is a printing paper or film, and the first layer includes dissolved resin directly applied to the printing paper or film to form the multi-layered sheet.
122. (Previously Presented) The sheet structure of claim 110, wherein a surface of the multi-layered sheet is adapted to receive a printed image or character.

SERIAL NO.: 09/801,187

PATENTOld Docket No.: 310048-740
New Docket No. 11286-01155
Avery Ref.: 3385-US

123. (Previously Presented) The sheet structure of claim 110, wherein the cut lines are die cut lines.

124. (Previously Presented) The sheet structure of claim 110, wherein the cut lines include horizontal and vertical cut lines forming a matrix.

125. (Previously Presented) The sheet structure of claim 110, wherein the first layer is a resin film.

126. (Previously Presented) A sheet structure comprising:

- a first layer;
- a second layer attached to a planar surface of the first layer, the first layer and the second layer at least substantially forming a multi-layered sheet;
- a plurality of continuous cut lines cut completely through the first layer but not entirely through a thickness of the multi-layered sheet, the plurality of cut lines defining a plurality of sheet portions on the sheet; and
- at least one of the first and second layers being selected and constructed, and the cut lines being configured, such that the sheet can be bent upwardly at least once and downwardly at least once, along at least some of the plurality of cut lines, to thereby be split along at least some of the plurality of cut lines and separate the sheet portions from the sheet into a plurality of individual sheet portions.

127. (Previously Presented) The sheet structure of claim 126, wherein at least one of images or characters are printable on at least one of the first layer or the second layer by passing the sheet through a printer.

128. (Previously Presented) The sheet structure of claim 126, wherein the cut lines are configured by their depth, groove width and shape to provide the split.

129. (Previously Presented) The sheet structure of claim 126, further comprising an adhesive layer between the first layer and the second layer.

SERIAL NO.: 09/801,187

PATENTOld Docket No.: 310048-740
New Docket No. 11286-01155
Avery Ref.: 3385-US

130. (Previously Presented) The sheet structure of claim 126, wherein the multi-layer sheet includes a paper layer.
131. (Previously Presented) The sheet structure of claim 126, wherein the sheet structure is constructed so that it can be split along the at least some of the plurality of cut lines without any tearing action being performed on it.
132. (Cancelled).
133. (Previously Presented) The sheet structure of claim 126, wherein the plurality of sheet portions are each defined by the plurality of cut lines and have a size determined by a user selecting the plurality of cut lines to be split, so that when separated from the sheet, the plurality of sheet portions form individual sheet portions of desired sizes.
134. (Previously Presented) The sheet structure of claim 126, wherein the plurality of cut lines form an entire perimeter of at least one of the sheet portions.
135. (Previously Presented) The sheet structure of claim 126, wherein a perimeter edge of the sheet forms a portion of a perimeter of at least one of the sheet portions.
136. (Previously Presented) The sheet structure of claim 126, wherein the sheet is photo-receptive.
137. (Previously Presented) The sheet structure of claim 126, wherein the second layer is a printing paper or film, and the first layer includes dissolved resin directly applied to the printing paper or film to form the multi-layered sheet.
138. (Previously Presented) The sheet structure of claim 126, wherein a surface of the multi-layered sheet is adapted to receive a printed image or character.

SERIAL NO.: 09/801,187

PATENT

Old Docket No.: 310048-740
New Docket No. 11286-01155
Avery Ref.: 3385-US

139. (Previously Presented) The sheet structure of claim 126, wherein the cut lines are die cut lines.

140. (Previously Presented) The sheet structure of claim 126, wherein the cut lines include horizontal and vertical cut lines forming a matrix.

141. (Previously Presented) The sheet structure of claim 126, wherein the first layer is a resin film.

142. (Previously Presented) A sheet structure comprising:

a first layer;

a second layer attached to a planar surface of the first layer, the first layer and the second layer at least substantially forming a multi-layered sheet;

a plurality of continuous cut lines cut completely through the first layer but not entirely through a thickness of the multi-layered sheet, the plurality of cut lines defining a plurality of sheet portions on the sheet; and

at least one of the first and second layers being selected and constructed, and the cut lines being configured, such that the sheet can be bent upwardly at least once or downwardly at least once, along at least some of the plurality of cut lines, to thereby be split along at least some of the plurality of cut lines and separate the sheet portions from the sheet into a plurality of individual sheet portions.

143. (Previously Presented) A sheet structure comprising:

a first layer;

a second layer attached to a planar surface of the first layer, the first layer and the second layer at least substantially forming a multi-layered sheet;

a plurality of continuous cut lines cut completely through the first layer but not entirely through a thickness of the multi-layered sheet, the plurality of cut lines defining a plurality of sheet portions on the sheet; and

at least one of the first and second layers and at least some of the cut lines being adapted to cause the sheet to split along at least some of the plurality of cut lines to separate

SERIAL NO.: 09/801,187

PATENT

Old Docket No.: 310048-740
New Docket No. 11286-01155
Avery Ref.: 3385-US

the sheet portions from the sheet into a plurality of individual sheet portions by bending the sheet upwardly only once, or downwardly only once, or upwardly or downwardly several times, along at least some of the plurality of cut lines.

144. (Previously Presented) A sheet structure comprising:

a first layer;

a second layer attached to a planar surface of the first layer, the first layer and the second layer at least substantially forming a multi-layered sheet;

a plurality of continuous cut lines cut completely through the first layer but not entirely through the thickness of the multi-layered sheet, the plurality of cut lines defining a plurality of sheet portions on the sheet; and

at least one of the first and second layers and at least some of the cut lines being adapted to cause the sheet to split along the at least some of the plurality of cut lines to separate the sheet portions from the sheet into a plurality of individual sheet portions by bending the sheet upwardly only once, or downwardly only once, along at least some of the plurality of cut lines.

145. (Previously Presented) A sheet structure comprising:

a first layer;

a second layer attached to a planar surface of the first layer, the first layer and the second layer at least substantially forming a multi-layered sheet;

a plurality of continuous cut lines cut completely through the first layer but not entirely through a thickness of the multi-layered sheet, the plurality of cut lines defining a plurality of sheet portions on the sheet; and

at least one of the first and second layers and at least some of the cut lines being adapted to cause the sheet to split along the at least some of the plurality of cut lines to separate the sheet portions from the sheet into a plurality of individual sheet portions by bending the sheet upwardly and downwardly several times along at least some of the plurality of cut lines.

146. (Previously Presented) A sheet structure comprising:

SERIAL NO.: 09/801,187

PATENT

Old Docket No.: 310048-740
New Docket No. 11286-01155
Avery Ref.: 3385-US

a first layer;
a second layer attached to a planar surface of the first layer, the first layer and the second layer at least substantially forming a multi-layered sheet;
a plurality of continuous cut lines cut completely through the first layer but not entirely through a thickness of the multi-layered sheet, the plurality of cut lines defining a plurality of sheet portions on the sheet; and
at least one of the first and second layers and at least some of the cut lines being adapted to cause the sheet to split along at least some of the plurality of cut lines to separate the sheet portions from the sheet into a plurality of individual sheet portions by bending the sheet upwardly at least once and downwardly at least once, along at least some of the plurality of cut lines.

147. (Previously Presented) A sheet structure comprising:

a first layer;
a second layer attached to a planar surface of the first layer, the first layer and the second layer at least substantially forming a multi-layered sheet;
a plurality of continuous cut lines cut completely through the first layer but not entirely through a thickness of the multi-layered sheet, the plurality of cut lines defining a plurality of sheet portions on the sheet; and
at least one of the first and second layers and at least some of the cut lines being adapted to cause the sheet to split along at least some of the plurality of cut lines to separate the sheet portions from the sheet into a plurality of individual sheet portions by bending the sheet upwardly at least once or downwardly at least once, along at least some of the plurality of cut lines.

148. (New) The sheet structure of claim 78, wherein each of the sheet portions includes a portion of the first layer and a portion of the second layer secured to the portion of the first layer.

149. (New) The sheet structure of claim 78, wherein the sheet structure has a lower bottom-most surface, and respective portions of the lower bottom-most surface form lower bottom-most surfaces of each of the individual sheet portions.

SERIAL NO.: 09/801,187

PATENT

Old Docket No.: 310048-740
New Docket No. 11286-01155
Avery Ref.: 3385-US

150. (New) The sheet structure of claim 149, wherein the sheet structure has a top upper-most surface, and respective portions of the top upper-most surface form top upper-most surfaces of each of the individual sheet portions.

151. (New) The sheet structure of claim 94, wherein each of the sheet portions includes a portion of the first layer and a portion of the second layer secured to the portion of the first layer.

152. (New) The sheet structure of claim 94, wherein the sheet structure has a lower bottom-most surface, and respective portions of the lower bottom-most surface form lower bottom-most surfaces of each of the individual sheet portions.

153. (New) The sheet structure of claim 152, wherein the sheet structure has a top upper-most surface, and respective portions of the top upper-most surface form top upper-most surfaces of each of the individual sheet portions.

154. (New) The sheet structure of claim 110, wherein each of the sheet portions includes a portion of the first layer and a portion of the second layer secured to the portion of the first layer.

155. (New) The sheet structure of claim 110, wherein the sheet structure has a lower bottom-most surface, and respective portions of the lower bottom-most surface form lower bottom-most surfaces of each of the individual sheet portions.

156. (New) The sheet structure of claim 155, wherein the sheet structure has a top upper-most surface, and respective portions of the top upper-most surface form top upper-most surfaces of each of the individual sheet portions.

157. (New) The sheet structure of claim 126, wherein each of the sheet portions includes a portion of the first layer and a portion of the second layer secured to the portion of the first layer.

SERIAL NO.: 09/801,187

PATENT

Old Docket No.: 310048-740
New Docket No. 11286-01155
Avery Ref.: 3385-US

158. (New) The sheet structure of claim 126, wherein the sheet structure has a lower bottom-most surface, and respective portions of the lower bottom-most surface form lower bottom-most surfaces of each of the individual sheet portions.

159. (New) The sheet structure of claim 158, wherein the sheet structure has a top upper-most surface, and respective portions of the top upper-most surface form top upper-most surfaces of each of the individual sheet portions.

160. (New) The sheet structure of claim 142, wherein each of the sheet portions includes a portion of the first layer and a portion of the second layer secured to the portion of the first layer.

161. (New) The sheet structure of claim 142, wherein the sheet structure has a lower bottom-most surface, and respective portions of the lower bottom-most surface form lower bottom-most surfaces of each of the individual sheet portions.

162. (New) The sheet structure of claim 161, wherein the sheet structure has a top upper-most surface, and respective portions of the top upper-most surface form top upper-most surfaces of each of the individual sheet portions.

163. (New) The sheet structure of claim 143, wherein each of the sheet portions includes a portion of the first layer and a portion of the second layer secured to the portion of the first layer.

164. (New) The sheet structure of claim 143, wherein the sheet structure has a lower bottom-most surface, and respective portions of the lower bottom-most surface form lower bottom-most surfaces of each of the individual sheet portions.

165. (New) The sheet structure of claim 164, wherein the sheet structure has a top upper-most surface, and respective portions of the top upper-most surface form top upper-most surfaces of each of the individual sheet portions.

SERIAL NO.: 09/801,187

PATENT

Old Docket No.: 310048-740
New Docket No. 11286-01155
Avery Ref.: 3385-US

166. (New) The sheet structure of claim 143, wherein each of the sheet portions includes a portion of the first layer and a portion of the second layer secured to the portion of the first layer.

167. (New) The sheet structure of claim 143, wherein the sheet structure has a lower bottom-most surface, and respective portions of the lower bottom-most surface form lower bottom-most surfaces of each of the individual sheet portions.

168. (New) The sheet structure of claim 167, wherein the sheet structure has a top upper-most surface, and respective portions of the top upper-most surface form top upper-most surfaces of each of the individual sheet portions.

169. (New) The sheet structure of claim 144, wherein each of the sheet portions includes a portion of the first layer and a portion of the second layer secured to the portion of the first layer.

170. (New) The sheet structure of claim 144, wherein the sheet structure has a lower bottom-most surface, and respective portions of the lower bottom-most surface form lower bottom-most surfaces of each of the individual sheet portions.

171. (New) The sheet structure of claim 170, wherein the sheet structure has a top upper-most surface, and respective portions of the top upper-most surface form top upper-most surfaces of each of the individual sheet portions.

172. (New) The sheet structure of claim 145, wherein each of the sheet portions includes a portion of the first layer and a portion of the second layer secured to the portion of the first layer.

173. (New) The sheet structure of claim 145, wherein the sheet structure has a lower bottom-most surface, and respective portions of the lower bottom-most surface form lower bottom-most surfaces of each of the individual sheet portions.

SERIAL NO.: 09/801,187

PATENTOld Docket No.: 310048-740
New Docket No. 11286-01155
Avery Ref.: 3385-US

174. (New) The sheet structure of claim 173, wherein the sheet structure has a top upper-most surface, and respective portions of the top upper-most surface form top upper-most surfaces of each of the individual sheet portions.

175. (New) The sheet structure of claim 146, wherein each of the sheet portions includes a portion of the first layer and a portion of the second layer secured to the portion of the first layer.

176. (New) The sheet structure of claim 146, wherein the sheet structure has a lower bottom-most surface, and respective portions of the lower bottom-most surface form lower bottom-most surfaces of each of the individual sheet portions.

177. (New) The sheet structure of claim 176, wherein the sheet structure has a top upper-most surface, and respective portions of the top upper-most surface form top upper-most surfaces of each of the individual sheet portions.

178. (New) The sheet structure of claim 147, wherein each of the sheet portions includes a portion of the first layer and a portion of the second layer secured to the portion of the first layer.

179. (New) The sheet structure of claim 147, wherein the sheet structure has a lower bottom-most surface, and respective portions of the lower bottom-most surface form lower bottom-most surfaces of each of the individual sheet portions.

180. (New) The sheet structure of claim 179, wherein the sheet structure has a top upper-most surface, and respective portions of the top upper-most surface form top upper-most surfaces of each of the individual sheet portions.